

CAZITEL FLAVORED ALLWORMER FOR DOGS



For use in dogs only. Do not use on cats or rabbits.
For use on puppies and dogs from 2 weeks of age.

- INDICATION

- Multi spectrum intestinal wormers for puppies and adult dogs.
- A single monthly oral tablet.
- Controls:
 1. Roundworms - *Toxocara canis*, *Toxascaris leonina*
 2. Whipworms - *Trichuris vulpis*
 3. Hookworms - *Ancylostoma caninum*, *A. braziliense*, *Ancylostoma ceylanicum*, *Uncinaria stenocephala*
 4. Tapeworms - *Dipylidium caninum*, *Taenia ovis*, *T. pisiformis*, *T. hydatigena* and *Echinococcus granulosus* (hydatid tapeworm)
 5. Shedding of oocysts of the protozoan *Giardia* sp.

- Does not control heartworm in dogs.
- Available in two packs : small and large.
- Suitable for all sizes and breeds of dogs.
- Treats 12 different kinds of intestinal worms.
- Made up of fine combination of different anthelmintic ingredients.
- Praziquantel, febantel and pyrantel embonate are three active ingredients present in this deworming treatment.
- Synergistic effect of these ingredients kills adult worms and their immature life stages encompassing larvae and eggs thus controlling adult worms along with prevention of re-infesting worms making the pet worm free and disease free for a very long time.
- Highly palatable taste of the tasty chewable makes the pet take it as a treat.

- COMPOSITION

Praziquantel	50.0 mg
Pyrantel (Also known as pyrantel embonate)	49.8 mg
Febantel	250.0 mg

RESIDUAL EFFECT

It is fine blend of anthelmintic ingredients that control and treats 12 species of gastrointestinal worms. It assists in getting rid of whipworms, roundworms, hookworms and tapeworms. This treatment is suitable for all breeds and sizes of dogs. The chewable flavored tablets are considered to be treats by dogs.

WARNING

- Ensure that the treatment does not get into the eyes or on the skin of the pet.
 - Not intended to be swallowed by human beings. If swallowed accidentally, contact your physician as soon as possible.
 - This dewormer does treat or control heartworms in dogs.
 - This product is intended only for animal use.
-

- PRECAUTIONS

- Do not feed offal of any species to the dog.
 - If you are concerned about whipworms in your furry pal, give the treatment every 6-8 weeks after 3 months of age.
 - If you reside in a Hydatid area give the treatment every 6 weeks to your pooch.
-

- DOSAGE

The deworming treatment is available in 4 different pack sizes depending on the weight of the dog. Each tablet treats 22 lbs. bodyweight of dogs.

HOW TO USE

- If you are concerned about hookworms and roundworms in your puppy, administer this treatment at 2, 4, 8 and 12 weeks of age. After completion of this period, administer the treatment on a monthly basis till the puppy reaches six months of age. After this, repeat the treatment every 3 months.

- For whipworms, give the tablet after every 6 to 8 weeks once the puppy is three months of age.
 - For tapeworms, give the tablet at an interval of 3 months.
 - If you are residing in a Hydatid area, give the tablet every 6 weeks.
 - If you are concerned about giardia infection in your dog, give the treatment to the dog for 3 consecutive days.
 - If you have a sick, pregnant or debilitated pet, then seek the advice of your veterinarian before giving the treatment.
-

- **METHOD OF APPLICATION**

- Give the tablet orally by putting it in the mouth of the dog or disguise it in the dog food.
 - There is no need for prior fasting or even after the completion of the treatment.
 - For effective results, weight the dog and select the pack.
-

- **STORAGE AND DISPOSAL**

Storage: Keep the product a room temperature below 30 degrees Celsius.

Disposal: Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed of in accordance with local requirements.

FIRST AID

In case, if you are poisoned, burned or irritated by this product, call the Poisons Information Center.

SIDE EFFECTS

- In certain rare cases, gastrointestinal disorders like diarrhea and emesis have been observed in dogs.
- In safety studies it was observed that a single dose of 5 times the recommended dose or high gave rise to episodic vomiting.
- Never simultaneously utilize this product with piperazine compounds as the anthelmintic effects of pyrantel and piperazine may be antagonized.
- Simultaneous use of this product with other cholinergic compounds can lead to toxicity.

Manufactured by Pfizer



Visit our website at

<https://www.petcaresupplies.com/cazitel-flavoured-allwormer-for-dogs/wormers-treatment-169.aspx>

DISCLAIMER

The information provided in this file is for informational purpose only. Please consult your veterinarian before administering the product to your pet.

© 2018 PetCareSupplies.com Pet Supplies Online - All Rights Reserved